

Final Health Monitoring Report



Chinese University of Hong Kong
Laboratory Animal Services Centre
Shatin. N.T
Hong Kong

Order Number

Not supplied

Report Reference

19-5365

Samples Received

July 01, 2019

Report Date

July 05, 2019

Quantity	Sample Details	Species	Profile	Sample Type
1	LASEC 1B B15-112, Room 112 - Ins2-cre	Mouse	SM267	Dried Blood Spot
1	LASEC 1B B16-112, Room 112 - Ins2-cre	Mouse	SM267	Dried Blood Spot
1	LASEC 1B B17-113, Room 113 - HBEG(ROSA)	Mouse	SM267	Dried Blood Spot
1	LASEC 1B B18-113, Room 113 - HBEG(ROSA)	Mouse	SM267	Dried Blood Spot
1	LASEC 1B B19-114, Room 114 - C57BL/6	Mouse	SM267	Dried Blood Spot
1	LASEC 1B B20-114, Room 114 - C57BL/6	Mouse	SM267	Dried Blood Spot
1	LASEC 1B B21-115, Room 115 - m+/+db	Mouse	SM267	Dried Blood Spot
1	LASEC 1B B22-115, Room 115 - m+/+db	Mouse	SM267	Dried Blood Spot
1	LASEC 1B B23-116, Room 116 - Prip	Mouse	SM267	Dried Blood Spot
1	LASEC 1B B24-116, Room 116 - Prip	Mouse	SM267	Dried Blood Spot
1	LASEC 1B B25-117, Room 117 - NUDE	Mouse	SM267	Dried Blood Spot
1	LASEC 1B B26-117, Room 117 - NUDE	Mouse	SM267	Dried Blood Spot

Report Reference: 19-5365

All testing is performed by Envigo using standard operating procedures.
Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Final Health Monitoring Report



Quantity	Sample Details	Species	Profile	Sample Type
1	LASEC 1B B27-118, Room 118 - APOE	Mouse	SM267	Dried Blood Spot
1	LASEC 1B B28-118, Room 118 - APOE	Mouse	SM267	Dried Blood Spot
1	LASEC 1B B29-120, Room 120 - ICR	Mouse	SM267	Dried Blood Spot
1	LASEC 1B B30-120, Room 120 - ICR	Mouse	SM267	Dried Blood Spot
1	LASEC 1B B3-111, Room 111 - S/D	Rat	SR64	Dried Blood Spot
1	LASEC 1B B4-111, Room 111 - S/D	Rat	SR64	Dried Blood Spot
1	LASEC 1B B5-119, Room 119 - S/D	Rat	SR64	Dried Blood Spot
1	LASEC 1B B6-119, Room 119 - S/D	Rat	SR64	Dried Blood Spot

LASEC 1B B15-112, Room 112 Ins2-cre - SM267

Sample negative for the agents tested

LASEC 1B B16-112, Room 112 Ins2-cre - SM267

Sample negative for the agents tested

LASEC 1B B17-113, Room 113 HBEG(ROSA) - SM267

Sample negative for the agents tested

LASEC 1B B18-113, Room 113 HBEG(ROSA) - SM267

Sample negative for the agents tested

LASEC 1B B19-114, Room 114 C57BL/6 - SM267

Sample negative for the agents tested

LASEC 1B B20-114, Room 114 C57BL/6 - SM267

Sample negative for the agents tested

Report Reference: 19-5365

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

Final Health Monitoring Report



LASEC 1B B21-115, Room 115 m+//db - SM267

Sample negative for the agents tested

LASEC 1B B22-115, Room 115 m+//db - SM267

Sample negative for the agents tested

LASEC 1B B23-116, Room 116 Prip - SM267

Sample negative for the agents tested

LASEC 1B B24-116, Room 116 Prip - SM267

Sample negative for the agents tested

LASEC 1B B25-117, Room 117 NUDE - SM267

Sample negative for the agents tested

LASEC 1B B26-117, Room 117 NUDE - SM267

Sample negative for the agents tested

LASEC 1B B27-118, Room 118 APOE - SM267

Sample negative for the agents tested

LASEC 1B B28-118, Room 118 APOE - SM267

Sample negative for the agents tested

LASEC 1B B29-120, Room 120 ICR - SM267

Sample negative for the agents tested

LASEC 1B B30-120, Room 120 ICR - SM267

Sample negative for the agents tested

LASEC 1B B3-111, Room 111 S/D - SR64

Sample negative for the agents tested

LASEC 1B B4-111, Room 111 S/D - SR64

Sample negative for the agents tested

LASEC 1B B5-119, Room 119 S/D - SR64

Sample negative for the agents tested

LASEC 1B B6-119, Room 119 S/D - SR64

Sample negative for the agents tested

Report Reference: 19-5365

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

Final Health Monitoring Report



Test Date	Species	Submitter	Area	Profile
01 Jul 2019	Mouse	Chinese University of Hong Kong	LASEC 1B B15-112, Room 112	SM267

Viruses	Positive/Tested	Test Method
Minute virus of mice	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Parvovirus (NS1)	0/1	ELISA
Pneumonia virus of mice	0/1	Bead
Sendai Virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Mycoplasma pulmonis</i>	0/1	Bead

Report Reference: 19-5365

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

Final Health Monitoring Report



Test Date	Species	Submitter	Area	Profile
01 Jul 2019	Mouse	Chinese University of Hong Kong	LASEC 1B B16-112, Room 112	SM267

Viruses	Positive/Tested	Test Method
Minute virus of mice	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Parvovirus (NS1)	0/1	ELISA
Pneumonia virus of mice	0/1	Bead
Sendai Virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Mycoplasma pulmonis</i>	0/1	Bead

Report Reference: 19-5365

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

Final Health Monitoring Report



Test Date	Species	Submitter	Area	Profile
01 Jul 2019	Mouse	Chinese University of Hong Kong	LASEC 1B B17-113, Room 113	SM267

Viruses	Positive/Tested	Test Method
Minute virus of mice	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Parvovirus (NS1)	0/1	ELISA
Pneumonia virus of mice	0/1	Bead
Sendai Virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Mycoplasma pulmonis</i>	0/1	Bead

Report Reference: 19-5365

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

Final Health Monitoring Report



Test Date	Species	Submitter	Area	Profile
01 Jul 2019	Mouse	Chinese University of Hong Kong	LASEC 1B B18-113, Room 113	SM267

Viruses	Positive/Tested	Test Method
Minute virus of mice	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Parvovirus (NS1)	0/1	ELISA
Pneumonia virus of mice	0/1	Bead
Sendai Virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Mycoplasma pulmonis</i>	0/1	Bead

Report Reference: 19-5365

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

Final Health Monitoring Report



Test Date	Species	Submitter	Area	Profile
01 Jul 2019	Mouse	Chinese University of Hong Kong	LASEC 1B B19-114, Room 114	SM267

Viruses	Positive/Tested	Test Method
Minute virus of mice	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Parvovirus (NS1)	0/1	ELISA
Pneumonia virus of mice	0/1	Bead
Sendai Virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Mycoplasma pulmonis</i>	0/1	Bead

Report Reference: 19-5365

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

Final Health Monitoring Report



Test Date	Species	Submitter	Area	Profile
01 Jul 2019	Mouse	Chinese University of Hong Kong	LASEC 1B B20-114, Room 114	SM267

Viruses	Positive/Tested	Test Method
Minute virus of mice	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Parvovirus (NS1)	0/1	ELISA
Pneumonia virus of mice	0/1	Bead
Sendai Virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Mycoplasma pulmonis</i>	0/1	Bead

Report Reference: 19-5365

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

Final Health Monitoring Report



Test Date	Species	Submitter	Area	Profile
01 Jul 2019	Mouse	Chinese University of Hong Kong	LASEC 1B B21-115, Room 115	SM267

Viruses	Positive/Tested	Test Method
Minute virus of mice	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Parvovirus (NS1)	0/1	ELISA
Pneumonia virus of mice	0/1	Bead
Sendai Virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Mycoplasma pulmonis</i>	0/1	Bead

Report Reference: 19-5365

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

Final Health Monitoring Report



Test Date	Species	Submitter	Area	Profile
01 Jul 2019	Mouse	Chinese University of Hong Kong	LASEC 1B B22-115, Room 115	SM267

Viruses	Positive/Tested	Test Method
Minute virus of mice	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Parvovirus (NS1)	0/1	ELISA
Pneumonia virus of mice	0/1	Bead
Sendai Virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Mycoplasma pulmonis</i>	0/1	Bead

Report Reference: 19-5365

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

Final Health Monitoring Report



Test Date	Species	Submitter	Area	Profile
01 Jul 2019	Mouse	Chinese University of Hong Kong	LASEC 1B B23-116, Room 116	SM267

Viruses	Positive/Tested	Test Method
Minute virus of mice	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Parvovirus (NS1)	0/1	ELISA
Pneumonia virus of mice	0/1	Bead
Sendai Virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Mycoplasma pulmonis</i>	0/1	Bead

Report Reference: 19-5365

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

Final Health Monitoring Report



Test Date	Species	Submitter	Area	Profile
01 Jul 2019	Mouse	Chinese University of Hong Kong	LASEC 1B B24-116, Room 116	SM267

Viruses	Positive/Tested	Test Method
Minute virus of mice	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Parvovirus (NS1)	0/1	ELISA
Pneumonia virus of mice	0/1	Bead
Sendai Virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Mycoplasma pulmonis</i>	0/1	Bead

Report Reference: 19-5365

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

Final Health Monitoring Report



Test Date	Species	Submitter	Area	Profile
01 Jul 2019	Mouse	Chinese University of Hong Kong	LASEC 1B B25-117, Room 117	SM267

Viruses	Positive/Tested	Test Method
Minute virus of mice	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Parvovirus (NS1)	0/1	ELISA
Pneumonia virus of mice	0/1	Bead
Sendai Virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Mycoplasma pulmonis</i>	0/1	Bead

Report Reference: 19-5365

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

Final Health Monitoring Report



Test Date	Species	Submitter	Area	Profile
01 Jul 2019	Mouse	Chinese University of Hong Kong	LASEC 1B B26-117, Room 117	SM267

Viruses	Positive/Tested	Test Method
Minute virus of mice	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Parvovirus (NS1)	0/1	ELISA
Pneumonia virus of mice	0/1	Bead
Sendai Virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Mycoplasma pulmonis</i>	0/1	Bead

Report Reference: 19-5365

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

Final Health Monitoring Report



Test Date	Species	Submitter	Area	Profile
01 Jul 2019	Mouse	Chinese University of Hong Kong	LASEC 1B B27-118, Room 118	SM267

Viruses	Positive/Tested	Test Method
Minute virus of mice	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Parvovirus (NS1)	0/1	ELISA
Pneumonia virus of mice	0/1	Bead
Sendai Virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Mycoplasma pulmonis</i>	0/1	Bead

Report Reference: 19-5365

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

Final Health Monitoring Report



Test Date	Species	Submitter	Area	Profile
01 Jul 2019	Mouse	Chinese University of Hong Kong	LASEC 1B B28-118, Room 118	SM267

Viruses	Positive/Tested	Test Method
Minute virus of mice	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Parvovirus (NS1)	0/1	ELISA
Pneumonia virus of mice	0/1	Bead
Sendai Virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Mycoplasma pulmonis</i>	0/1	Bead

Report Reference: 19-5365

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

Final Health Monitoring Report



Test Date	Species	Submitter	Area	Profile
01 Jul 2019	Mouse	Chinese University of Hong Kong	LASEC 1B B29-120, Room 120	SM267

Viruses	Positive/Tested	Test Method
Minute virus of mice	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Parvovirus (NS1)	0/1	ELISA
Pneumonia virus of mice	0/1	Bead
Sendai Virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Mycoplasma pulmonis</i>	0/1	Bead

Report Reference: 19-5365

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

Final Health Monitoring Report



Test Date	Species	Submitter	Area	Profile
01 Jul 2019	Mouse	Chinese University of Hong Kong	LASEC 1B B30-120, Room 120	SM267

Viruses	Positive/Tested	Test Method
Minute virus of mice	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Parvovirus (NS1)	0/1	ELISA
Pneumonia virus of mice	0/1	Bead
Sendai Virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Mycoplasma pulmonis</i>	0/1	Bead

Report Reference: 19-5365

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

Final Health Monitoring Report



Test Date	Species	Submitter	Area	Profile
01 Jul 2019	Rat	Chinese University of Hong Kong	LASEC 1B B3-111, Room 111	SR64

Viruses	Positive/Tested	Test Method
Kilham rat virus	0/1	ELISA
Rat parvovirus	0/1	ELISA
Sendai Virus	0/1	ELISA
Sialodacryoadenitis virus	0/1	ELISA
Toolan's H-1	0/1	ELISA

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
CAR Bacillus	0/1	ELISA
<i>Mycoplasma pulmonis</i>	0/1	ELISA

Report Reference: 19-5365

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

Final Health Monitoring Report



Test Date	Species	Submitter	Area	Profile
01 Jul 2019	Rat	Chinese University of Hong Kong	LASEC 1B B4-111, Room 111	SR64

Viruses	Positive/Tested	Test Method
Kilham rat virus	0/1	ELISA
Rat parvovirus	0/1	ELISA
Sendai Virus	0/1	ELISA
Sialodacryoadenitis virus	0/1	ELISA
Toolan's H-1	0/1	ELISA

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
CAR Bacillus	0/1	ELISA
<i>Mycoplasma pulmonis</i>	0/1	ELISA

Report Reference: 19-5365

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

Final Health Monitoring Report



Test Date	Species	Submitter	Area	Profile
01 Jul 2019	Rat	Chinese University of Hong Kong	LASEC 1B B5-119, Room 119	SR64

Viruses	Positive/Tested	Test Method
Kilham rat virus	0/1	ELISA
Rat parvovirus	0/1	ELISA
Sendai Virus	0/1	ELISA
Sialodacryoadenitis virus	0/1	ELISA
Toolan's H-1	0/1	ELISA

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
CAR Bacillus	0/1	ELISA
<i>Mycoplasma pulmonis</i>	0/1	ELISA

Report Reference: 19-5365

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

Final Health Monitoring Report



Test Date	Species	Submitter	Area	Profile
01 Jul 2019	Rat	Chinese University of Hong Kong	LASEC 1B B6-119, Room 119	SR64

Viruses	Positive/Tested	Test Method
Kilham rat virus	0/1	ELISA
Rat parvovirus	0/1	ELISA
Sendai Virus	0/1	ELISA
Sialodacryoadenitis virus	0/1	ELISA
Toolan's H-1	0/1	ELISA

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
CAR Bacillus	0/1	ELISA
<i>Mycoplasma pulmonis</i>	0/1	ELISA

Report Reference: 19-5365

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com