

Final Health Monitoring Report



Chinese University of Hong Kong
Laboratory Animal Services Centre
Shatin. N.T
Hong Kong

Order Number

Not supplied

Report Reference

19-5364

Samples Received

July 01, 2019

Report Date

July 05, 2019

Quantity	Sample Details	Species	Profile	Sample Type
1	LASEC 1A B10-105B, Room 105B - BALB/c	Mouse	SM267	Dried Blood Spot
1	LASEC 1A B11-105C, Room 105C - BALB/c	Mouse	SM267	Dried Blood Spot
1	LASEC 1A B12-105C, Room 105C - BALB/c	Mouse	SM267	Dried Blood Spot
1	LASEC 1A B13-107, Room 107 - BALB/c	Mouse	SM267	Dried Blood Spot
1	LASEC 1A B14-107, Room 107 - BALB/c	Mouse	SM267	Dried Blood Spot
1	LASEC 1A B7-105A, Room 105A - BALB/c	Mouse	SM267	Dried Blood Spot
1	LASEC 1A B8-105A, Room 105A - BALB/c	Mouse	SM267	Dried Blood Spot
1	LASEC 1A B9-105B, Room 105B - BALB/c	Mouse	SM267	Dried Blood Spot
1	LASEC 1A B1-105H, Room 105H - S/D	Rat	SR64	Dried Blood Spot
1	LASEC 1A B2-105H, Room 105H - S/D	Rat	SR64	Dried Blood Spot

LASEC 1A B10-105B, Room 105B BALB/c - SM267

Sample negative for the agents tested

Report Reference: 19-5364

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

Final Health Monitoring Report



LASEC 1A B11-105C, Room 105C BALB/c - SM267

Sample negative for the agents tested

LASEC 1A B12-105C, Room 105C BALB/c - SM267

Sample negative for the agents tested

LASEC 1A B13-107, Room 107 BALB/c - SM267

Sample negative for the agents tested

LASEC 1A B14-107, Room 107 BALB/c - SM267

Sample negative for the agents tested

LASEC 1A B7-105A, Room 105A BALB/c - SM267

Sample negative for the agents tested

LASEC 1A B8-105A, Room 105A BALB/c - SM267

Sample negative for the agents tested

LASEC 1A B9-105B, Room 105B BALB/c - SM267

Sample negative for the agents tested

LASEC 1A B1-105H, Room 105H S/D - SR64

Sample negative for the agents tested

LASEC 1A B2-105H, Room 105H S/D - SR64

Sample negative for the agents tested

Report Reference: 19-5364

All testing is performed by Envigo using standard operating procedures.
Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

Final Health Monitoring Report



Test Date	Species	Submitter	Area	Profile
01 Jul 2019	Mouse	Chinese University of Hong Kong	LASEC 1A B10-105B, Room 105B	SM267

Viruses	Positive/Tested	Test Method
Minute virus of mice	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Parvovirus (NS1)	0/1	ELISA
Pneumonia virus of mice	0/1	Bead
Sendai Virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Mycoplasma pulmonis</i>	0/1	Bead

Report Reference: 19-5364

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

Final Health Monitoring Report



Test Date	Species	Submitter	Area	Profile
01 Jul 2019	Mouse	Chinese University of Hong Kong	LASEC 1A B11-105C, Room 105C	SM267

Viruses	Positive/Tested	Test Method
Minute virus of mice	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Parvovirus (NS1)	0/1	ELISA
Pneumonia virus of mice	0/1	Bead
Sendai Virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Mycoplasma pulmonis</i>	0/1	Bead

Report Reference: 19-5364

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

Final Health Monitoring Report



Test Date	Species	Submitter	Area	Profile
01 Jul 2019	Mouse	Chinese University of Hong Kong	LASEC 1A B12-105C, Room 105C	SM267

Viruses	Positive/Tested	Test Method
Minute virus of mice	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Parvovirus (NS1)	0/1	ELISA
Pneumonia virus of mice	0/1	Bead
Sendai Virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Mycoplasma pulmonis</i>	0/1	Bead

Report Reference: 19-5364

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

Final Health Monitoring Report



Test Date	Species	Submitter	Area	Profile
01 Jul 2019	Mouse	Chinese University of Hong Kong	LASEC 1A B13-107, Room 107	SM267

Viruses	Positive/Tested	Test Method
Minute virus of mice	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Parvovirus (NS1)	0/1	ELISA
Pneumonia virus of mice	0/1	Bead
Sendai Virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Mycoplasma pulmonis</i>	0/1	Bead

Report Reference: 19-5364

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

Final Health Monitoring Report



Test Date	Species	Submitter	Area	Profile
01 Jul 2019	Mouse	Chinese University of Hong Kong	LASEC 1A B14-107, Room 107	SM267

Viruses	Positive/Tested	Test Method
Minute virus of mice	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Parvovirus (NS1)	0/1	ELISA
Pneumonia virus of mice	0/1	Bead
Sendai Virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Mycoplasma pulmonis</i>	0/1	Bead

Report Reference: 19-5364

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

Final Health Monitoring Report



Test Date	Species	Submitter	Area	Profile
01 Jul 2019	Mouse	Chinese University of Hong Kong	LASEC 1A B7-105A, Room 105A	SM267

Viruses	Positive/Tested	Test Method
Minute virus of mice	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Parvovirus (NS1)	0/1	ELISA
Pneumonia virus of mice	0/1	Bead
Sendai Virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Mycoplasma pulmonis</i>	0/1	Bead

Report Reference: 19-5364

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

Final Health Monitoring Report



Test Date	Species	Submitter	Area	Profile
01 Jul 2019	Mouse	Chinese University of Hong Kong	LASEC 1A B8-105A, Room 105A	SM267

Viruses	Positive/Tested	Test Method
Minute virus of mice	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Parvovirus (NS1)	0/1	ELISA
Pneumonia virus of mice	0/1	Bead
Sendai Virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Mycoplasma pulmonis</i>	0/1	Bead

Report Reference: 19-5364

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

Final Health Monitoring Report



Test Date	Species	Submitter	Area	Profile
01 Jul 2019	Mouse	Chinese University of Hong Kong	LASEC 1A B9-105B, Room 105B	SM267

Viruses	Positive/Tested	Test Method
Minute virus of mice	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Parvovirus (NS1)	0/1	ELISA
Pneumonia virus of mice	0/1	Bead
Sendai Virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Mycoplasma pulmonis</i>	0/1	Bead

Report Reference: 19-5364

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

Final Health Monitoring Report



Test Date	Species	Submitter	Area	Profile
01 Jul 2019	Rat	Chinese University of Hong Kong	LASEC 1A B1-105H, Room 105H	SR64

Viruses	Positive/Tested	Test Method
Kilham rat virus	0/1	ELISA
Rat parvovirus	0/1	ELISA
Sendai Virus	0/1	ELISA
Sialodacryoadenitis virus	0/1	ELISA
Toolan's H-1	0/1	ELISA

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
CAR Bacillus	0/1	ELISA
<i>Mycoplasma pulmonis</i>	0/1	ELISA

Report Reference: 19-5364

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com

Final Health Monitoring Report



Test Date	Species	Submitter	Area	Profile
01 Jul 2019	Rat	Chinese University of Hong Kong	LASEC 1A B2-105H, Room 105H	SR64

Viruses	Positive/Tested	Test Method
Kilham rat virus	0/1	ELISA
Rat parvovirus	0/1	ELISA
Sendai Virus	0/1	ELISA
Sialodacryoadenitis virus	0/1	ELISA
Toolan's H-1	0/1	ELISA

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
CAR Bacillus	0/1	ELISA
<i>Mycoplasma pulmonis</i>	0/1	ELISA

Report Reference: 19-5364

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + rmstechnicalservices.eu@envigo.com + envigo.com