

# Final Health Monitoring Report



Chinese University of Hong Kong  
Laboratory Animal Services Centre  
Shatin. N.T  
Hong Kong

**Order Number**

Not supplied

**Report Reference**

20-9540

**Samples Received**

April 06, 2020

**Report Date**

April 14, 2020

Quantity	Sample Details	Species	Profile	Sample Type
1	LASEC 4F E21-402 - ICR	Mouse	SM324	Dried Blood Spot
1	LASEC 4F E22-402 - ICR	Mouse	SM324	Dried Blood Spot
1	LASEC 4F E23-403 - ICR	Mouse	SM324	Dried Blood Spot
1	LASEC 4F E24-403 - ICR	Mouse	SM324	Dried Blood Spot
1	LASEC 4F E25-404 - ICR	Mouse	SM324	Dried Blood Spot
1	LASEC 4F E26-404 - ICR	Mouse	SM324	Dried Blood Spot
1	LASEC 4F E27-406 - ICR	Mouse	SM324	Dried Blood Spot
1	LASEC 4F E28-406 - ICR	Mouse	SM324	Dried Blood Spot
1	LASEC 4F E29-413 - ICR	Mouse	SM324	Dried Blood Spot
1	LASEC 4F E30-413 - ICR	Mouse	SM324	Dried Blood Spot
1	LASEC 4F E31-415 - ICR	Mouse	SM324	Dried Blood Spot
1	LASEC 4F E32-415 - ICR	Mouse	SM324	Dried Blood Spot
1	LASEC 4F E33-417 - ICR	Mouse	SM324	Dried Blood Spot
1	LASEC 4F E34-417 - ICR	Mouse	SM324	Dried Blood Spot
1	LASEC 4F E35-419 - BALB/c	Mouse	SM324	Dried Blood Spot
1	LASEC 4F E36-419 - BALB/c	Mouse	SM324	Dried Blood Spot
1	LASEC 4F E13-409 - S/D	Rat	SR88	Dried Blood Spot
1	LASEC 4F E14-409 - S/D	Rat	SR88	Dried Blood Spot

**Report Reference: 20-9540**

All testing is performed by Envigo using standard operating procedures.  
Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

# Final Health Monitoring Report



Quantity	Sample Details	Species	Profile	Sample Type
1	LASEC 4F E15-418 - S/D	Rat	SR88	Dried Blood Spot
1	LASEC 4F E16-418 - S/D	Rat	SR88	Dried Blood Spot

LASEC 4F E21-402 ICR - SM324

Sample negative for the agents tested

LASEC 4F E22-402 ICR - SM324

Sample negative for the agents tested

LASEC 4F E23-403 ICR - SM324

Sample positive for *Mouse Norovirus*

LASEC 4F E24-403 ICR - SM324

Sample negative for the agents tested

LASEC 4F E25-404 ICR - SM324

Sample positive for *Mouse Norovirus*

LASEC 4F E26-404 ICR - SM324

Sample positive for *Mouse Norovirus*

LASEC 4F E27-406 ICR - SM324

Sample negative for the agents tested

LASEC 4F E28-406 ICR - SM324

Sample positive for *Mouse Norovirus*

LASEC 4F E29-413 ICR - SM324

Sample positive for *Mouse Norovirus*

LASEC 4F E30-413 ICR - SM324

Sample positive for *Mouse Norovirus*

LASEC 4F E31-415 ICR - SM324

Sample positive for *Mouse Norovirus*

LASEC 4F E32-415 ICR - SM324

Sample positive for *Mouse Norovirus*

LASEC 4F E33-417 ICR - SM324

Sample positive for *Mouse Norovirus*

LASEC 4F E34-417 ICR - SM324

Sample negative for the agents tested

## Report Reference: 20-9540

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

# Final Health Monitoring Report



LASEC 4F E35-419 BALB/c - SM324

Sample positive for *Mouse Norovirus*

LASEC 4F E36-419 BALB/c - SM324

Sample positive for *Mouse Norovirus*

LASEC 4F E13-409 S/D - SR88

Sample negative for the agents tested

LASEC 4F E14-409 S/D - SR88

Sample negative for the agents tested

LASEC 4F E15-418 S/D - SR88

Sample negative for the agents tested

LASEC 4F E16-418 S/D - SR88

Sample negative for the agents tested

## Report Reference: 20-9540

All testing is performed by Envigo using standard operating procedures.  
Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + [rmstechnicalservices.eu@envigo.com](mailto:rmstechnicalservices.eu@envigo.com) + [envigo.com](http://envigo.com)

# Final Health Monitoring Report



Test Date	Species	Submitter	Area
April 06, 2020	Mouse	Chinese University of Hong Kong	LASEC 4F E21-402

Viruses	Positive/Tested	Test Method
Ectromelia virus	0/1	Bead
Lymphocytic choriomeningitis virus	0/1	Bead
Minute virus of mice	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse Norovirus	0/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Pneumonia virus of mice	0/1	Bead
Reovirus type 3 (Reo 3)	0/1	Bead
Sendai Virus	0/1	Bead
Theiler's murine encephalomyelitis virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Mycoplasma pulmonis</i>	0/1	Bead

Viruses	Positive/Tested	Test Method
Parvovirus (NS1)	0/1	ELISA

## Report Reference: 20-9540

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

# Final Health Monitoring Report



Test Date	Species	Submitter	Area
April 06, 2020	Mouse	Chinese University of Hong Kong	LASEC 4F E22-402

Viruses	Positive/Tested	Test Method
Ectromelia virus	0/1	Bead
Lymphocytic choriomeningitis virus	0/1	Bead
Minute virus of mice	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse Norovirus	0/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Pneumonia virus of mice	0/1	Bead
Reovirus type 3 (Reo 3)	0/1	Bead
Sendai Virus	0/1	Bead
Theiler's murine encephalomyelitis virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Mycoplasma pulmonis</i>	0/1	Bead

Viruses	Positive/Tested	Test Method
Parvovirus (NS1)	0/1	ELISA

## Report Reference: 20-9540

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

# Final Health Monitoring Report



Test Date	Species	Submitter	Area
April 06, 2020	Mouse	Chinese University of Hong Kong	LASEC 4F E23-403

Viruses	Positive/Tested	Test Method
Ectromelia virus	0/1	Bead
Lymphocytic choriomeningitis virus	0/1	Bead
Minute virus of mice	0/1	Bead
Mouse hepatitis virus	0/1	Bead
<b>Mouse Norovirus</b>	<b>1/1</b>	<b>Bead</b>
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Pneumonia virus of mice	0/1	Bead
Reovirus type 3 (Reo 3)	0/1	Bead
Sendai Virus	0/1	Bead
Theiler's murine encephalomyelitis virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Mycoplasma pulmonis</i>	0/1	Bead

Viruses	Positive/Tested	Test Method
Parvovirus (NS1)	0/1	ELISA

## Report Reference: 20-9540

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

# Final Health Monitoring Report



Test Date	Species	Submitter	Area
April 06, 2020	Mouse	Chinese University of Hong Kong	LASEC 4F E24-403

Viruses	Positive/Tested	Test Method
Ectromelia virus	0/1	Bead
Lymphocytic choriomeningitis virus	0/1	Bead
Minute virus of mice	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse Norovirus	0/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Pneumonia virus of mice	0/1	Bead
Reovirus type 3 (Reo 3)	0/1	Bead
Sendai Virus	0/1	Bead
Theiler's murine encephalomyelitis virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Mycoplasma pulmonis</i>	0/1	Bead

Viruses	Positive/Tested	Test Method
Parvovirus (NS1)	0/1	ELISA

## Report Reference: 20-9540

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

# Final Health Monitoring Report



Test Date	Species	Submitter	Area
April 06, 2020	Mouse	Chinese University of Hong Kong	LASEC 4F E25-404

Viruses	Positive/Tested	Test Method
Ectromelia virus	0/1	Bead
Lymphocytic choriomeningitis virus	0/1	Bead
Minute virus of mice	0/1	Bead
Mouse hepatitis virus	0/1	Bead
<b>Mouse Norovirus</b>	<b>1/1</b>	<b>Bead</b>
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Pneumonia virus of mice	0/1	Bead
Reovirus type 3 (Reo 3)	0/1	Bead
Sendai Virus	0/1	Bead
Theiler's murine encephalomyelitis virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Mycoplasma pulmonis</i>	0/1	Bead

Viruses	Positive/Tested	Test Method
Parvovirus (NS1)	0/1	ELISA

## Report Reference: 20-9540

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.



# Final Health Monitoring Report



Test Date	Species	Submitter	Area
April 06, 2020	Mouse	Chinese University of Hong Kong	LASEC 4F E26-404

Viruses	Positive/Tested	Test Method
Ectromelia virus	0/1	Bead
Lymphocytic choriomeningitis virus	0/1	Bead
Minute virus of mice	0/1	Bead
Mouse hepatitis virus	0/1	Bead
<b>Mouse Norovirus</b>	<b>1/1</b>	<b>Bead</b>
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Pneumonia virus of mice	0/1	Bead
Reovirus type 3 (Reo 3)	0/1	Bead
Sendai Virus	0/1	Bead
Theiler's murine encephalomyelitis virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Mycoplasma pulmonis</i>	0/1	Bead

Viruses	Positive/Tested	Test Method
Parvovirus (NS1)	0/1	ELISA

## Report Reference: 20-9540

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + [rmstechnicalservices.eu@envigo.com](mailto:rmstechnicalservices.eu@envigo.com) + [envigo.com](http://envigo.com)

# Final Health Monitoring Report



Test Date	Species	Submitter	Area
April 06, 2020	Mouse	Chinese University of Hong Kong	LASEC 4F E27-406

Viruses	Positive/Tested	Test Method
Ectromelia virus	0/1	Bead
Lymphocytic choriomeningitis virus	0/1	Bead
Minute virus of mice	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse Norovirus	0/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Pneumonia virus of mice	0/1	Bead
Reovirus type 3 (Reo 3)	0/1	Bead
Sendai Virus	0/1	Bead
Theiler's murine encephalomyelitis virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Mycoplasma pulmonis</i>	0/1	Bead

Viruses	Positive/Tested	Test Method
Parvovirus (NS1)	0/1	ELISA

## Report Reference: 20-9540

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

# Final Health Monitoring Report



Test Date	Species	Submitter	Area
April 06, 2020	Mouse	Chinese University of Hong Kong	LASEC 4F E28-406

Viruses	Positive/Tested	Test Method
Ectromelia virus	0/1	Bead
Lymphocytic choriomeningitis virus	0/1	Bead
Minute virus of mice	0/1	Bead
Mouse hepatitis virus	0/1	Bead
<b>Mouse Norovirus</b>	<b>1/1</b>	<b>Bead</b>
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Pneumonia virus of mice	0/1	Bead
Reovirus type 3 (Reo 3)	0/1	Bead
Sendai Virus	0/1	Bead
Theiler's murine encephalomyelitis virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Mycoplasma pulmonis</i>	0/1	Bead

Viruses	Positive/Tested	Test Method
Parvovirus (NS1)	0/1	ELISA

## Report Reference: 20-9540

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

# Final Health Monitoring Report



Test Date	Species	Submitter	Area
April 06, 2020	Mouse	Chinese University of Hong Kong	LASEC 4F E29-413

Viruses	Positive/Tested	Test Method
Ectromelia virus	0/1	Bead
Lymphocytic choriomeningitis virus	0/1	Bead
Minute virus of mice	0/1	Bead
Mouse hepatitis virus	0/1	Bead
<b>Mouse Norovirus</b>	<b>1/1</b>	<b>Bead</b>
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Pneumonia virus of mice	0/1	Bead
Reovirus type 3 (Reo 3)	0/1	Bead
Sendai Virus	0/1	Bead
Theiler's murine encephalomyelitis virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Mycoplasma pulmonis</i>	0/1	Bead

Viruses	Positive/Tested	Test Method
Parvovirus (NS1)	0/1	ELISA

## Report Reference: 20-9540

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

# Final Health Monitoring Report



Test Date	Species	Submitter	Area
April 06, 2020	Mouse	Chinese University of Hong Kong	LASEC 4F E30-413

Viruses	Positive/Tested	Test Method
Ectromelia virus	0/1	Bead
Lymphocytic choriomeningitis virus	0/1	Bead
Minute virus of mice	0/1	Bead
Mouse hepatitis virus	0/1	Bead
<b>Mouse Norovirus</b>	<b>1/1</b>	<b>Bead</b>
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Pneumonia virus of mice	0/1	Bead
Reovirus type 3 (Reo 3)	0/1	Bead
Sendai Virus	0/1	Bead
Theiler's murine encephalomyelitis virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Mycoplasma pulmonis</i>	0/1	Bead

Viruses	Positive/Tested	Test Method
Parvovirus (NS1)	0/1	ELISA

## Report Reference: 20-9540

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

# Final Health Monitoring Report



Test Date	Species	Submitter	Area
April 06, 2020	Mouse	Chinese University of Hong Kong	LASEC 4F E31-415

Viruses	Positive/Tested	Test Method
Ectromelia virus	0/1	Bead
Lymphocytic choriomeningitis virus	0/1	Bead
Minute virus of mice	0/1	Bead
Mouse hepatitis virus	0/1	Bead
<b>Mouse Norovirus</b>	<b>1/1</b>	<b>Bead</b>
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Pneumonia virus of mice	0/1	Bead
Reovirus type 3 (Reo 3)	0/1	Bead
Sendai Virus	0/1	Bead
Theiler's murine encephalomyelitis virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Mycoplasma pulmonis</i>	0/1	Bead

Viruses	Positive/Tested	Test Method
Parvovirus (NS1)	0/1	ELISA

## Report Reference: 20-9540

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

# Final Health Monitoring Report



Test Date	Species	Submitter	Area
April 06, 2020	Mouse	Chinese University of Hong Kong	LASEC 4F E32-415

Viruses	Positive/Tested	Test Method
Ectromelia virus	0/1	Bead
Lymphocytic choriomeningitis virus	0/1	Bead
Minute virus of mice	0/1	Bead
Mouse hepatitis virus	0/1	Bead
<b>Mouse Norovirus</b>	<b>1/1</b>	<b>Bead</b>
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Pneumonia virus of mice	0/1	Bead
Reovirus type 3 (Reo 3)	0/1	Bead
Sendai Virus	0/1	Bead
Theiler's murine encephalomyelitis virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Mycoplasma pulmonis</i>	0/1	Bead

Viruses	Positive/Tested	Test Method
Parvovirus (NS1)	0/1	ELISA

## Report Reference: 20-9540

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

# Final Health Monitoring Report



Test Date	Species	Submitter	Area
April 06, 2020	Mouse	Chinese University of Hong Kong	LASEC 4F E33-417

Viruses	Positive/Tested	Test Method
Ectromelia virus	0/1	Bead
Lymphocytic choriomeningitis virus	0/1	Bead
Minute virus of mice	0/1	Bead
Mouse hepatitis virus	0/1	Bead
<b>Mouse Norovirus</b>	<b>1/1</b>	<b>Bead</b>
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Pneumonia virus of mice	0/1	Bead
Reovirus type 3 (Reo 3)	0/1	Bead
Sendai Virus	0/1	Bead
Theiler's murine encephalomyelitis virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Mycoplasma pulmonis</i>	0/1	Bead

Viruses	Positive/Tested	Test Method
Parvovirus (NS1)	0/1	ELISA

## Report Reference: 20-9540

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + [rmstechnicalservices.eu@envigo.com](mailto:rmstechnicalservices.eu@envigo.com) + [envigo.com](http://envigo.com)



# Final Health Monitoring Report



Test Date	Species	Submitter	Area
April 06, 2020	Mouse	Chinese University of Hong Kong	LASEC 4F E34-417

Viruses	Positive/Tested	Test Method
Ectromelia virus	0/1	Bead
Lymphocytic choriomeningitis virus	0/1	Bead
Minute virus of mice	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse Norovirus	0/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Pneumonia virus of mice	0/1	Bead
Reovirus type 3 (Reo 3)	0/1	Bead
Sendai Virus	0/1	Bead
Theiler's murine encephalomyelitis virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Mycoplasma pulmonis</i>	0/1	Bead

Viruses	Positive/Tested	Test Method
Parvovirus (NS1)	0/1	ELISA

## Report Reference: 20-9540

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + [rmstechnicalservices.eu@envigo.com](mailto:rmstechnicalservices.eu@envigo.com) + [envigo.com](http://envigo.com)

# Final Health Monitoring Report



Test Date	Species	Submitter	Area
April 06, 2020	Mouse	Chinese University of Hong Kong	LASEC 4F E35-419

Viruses	Positive/Tested	Test Method
Ectromelia virus	0/1	Bead
Lymphocytic choriomeningitis virus	0/1	Bead
Minute virus of mice	0/1	Bead
Mouse hepatitis virus	0/1	Bead
<b>Mouse Norovirus</b>	<b>1/1</b>	<b>Bead</b>
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Pneumonia virus of mice	0/1	Bead
Reovirus type 3 (Reo 3)	0/1	Bead
Sendai Virus	0/1	Bead
Theiler's murine encephalomyelitis virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Mycoplasma pulmonis</i>	0/1	Bead

Viruses	Positive/Tested	Test Method
Parvovirus (NS1)	0/1	ELISA

## Report Reference: 20-9540

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

# Final Health Monitoring Report



Test Date	Species	Submitter	Area
April 06, 2020	Mouse	Chinese University of Hong Kong	LASEC 4F E36-419

Viruses	Positive/Tested	Test Method
Ectromelia virus	0/1	Bead
Lymphocytic choriomeningitis virus	0/1	Bead
Minute virus of mice	0/1	Bead
Mouse hepatitis virus	0/1	Bead
<b>Mouse Norovirus</b>	<b>1/1</b>	<b>Bead</b>
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Pneumonia virus of mice	0/1	Bead
Reovirus type 3 (Reo 3)	0/1	Bead
Sendai Virus	0/1	Bead
Theiler's murine encephalomyelitis virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Mycoplasma pulmonis</i>	0/1	Bead

Viruses	Positive/Tested	Test Method
Parvovirus (NS1)	0/1	ELISA

## Report Reference: 20-9540

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

# Final Health Monitoring Report



Test Date	Species	Submitter	Area
April 06, 2020	Rat	Chinese University of Hong Kong	LASEC 4F E13-409
Viruses	Positive/Tested	Test Method	
Hantavirus	0/1	ELISA	
Kilham rat virus	0/1	ELISA	
Rat parvovirus	0/1	ELISA	
Reovirus type 3 (Reo 3)	0/1	ELISA	
Sendai Virus	0/1	ELISA	
Sialodacryoadenitis virus	0/1	ELISA	
Toolan's H-1	0/1	ELISA	
Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method	
<i>CAR Bacillus</i>	0/1	ELISA	
<i>Mycoplasma pulmonis</i>	0/1	ELISA	

## Report Reference: 20-9540

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + [rmstechnicalservices.eu@envigo.com](mailto:rmstechnicalservices.eu@envigo.com) + [envigo.com](http://envigo.com)

# Final Health Monitoring Report



Test Date	Species	Submitter	Area
April 06, 2020	Rat	Chinese University of Hong Kong	LASEC 4F E14-409

Viruses	Positive/Tested	Test Method
Hantavirus	0/1	ELISA
Kilham rat virus	0/1	ELISA
Rat parvovirus	0/1	ELISA
Reovirus type 3 (Reo 3)	0/1	ELISA
Sendai Virus	0/1	ELISA
Sialodacryoadenitis virus	0/1	ELISA
Toolan's H-1	0/1	ELISA

  

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>CAR Bacillus</i>	0/1	ELISA
<i>Mycoplasma pulmonis</i>	0/1	ELISA

## Report Reference: 20-9540

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + [rmstechnicalservices.eu@envigo.com](mailto:rmstechnicalservices.eu@envigo.com) + [envigo.com](http://envigo.com)

# Final Health Monitoring Report



Test Date	Species	Submitter	Area
April 06, 2020	Rat	Chinese University of Hong Kong	LASEC 4F E15-418

Viruses	Positive/Tested	Test Method
Hantavirus	0/1	ELISA
Kilham rat virus	0/1	ELISA
Rat parvovirus	0/1	ELISA
Reovirus type 3 (Reo 3)	0/1	ELISA
Sendai Virus	0/1	ELISA
Sialodacryoadenitis virus	0/1	ELISA
Toolan's H-1	0/1	ELISA

  

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>CAR Bacillus</i>	0/1	ELISA
<i>Mycoplasma pulmonis</i>	0/1	ELISA

## Report Reference: 20-9540

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + [rmstechnicalservices.eu@envigo.com](mailto:rmstechnicalservices.eu@envigo.com) + [envigo.com](http://envigo.com)

# Final Health Monitoring Report



Test Date	Species	Submitter	Area
April 06, 2020	Rat	Chinese University of Hong Kong	LASEC 4F E16-418

Viruses	Positive/Tested	Test Method
Hantavirus	0/1	ELISA
Kilham rat virus	0/1	ELISA
Rat parvovirus	0/1	ELISA
Reovirus type 3 (Reo 3)	0/1	ELISA
Sendai Virus	0/1	ELISA
Sialodacryoadenitis virus	0/1	ELISA
Toolan's H-1	0/1	ELISA

  

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>CAR Bacillus</i>	0/1	ELISA
<i>Mycoplasma pulmonis</i>	0/1	ELISA

## Report Reference: 20-9540

All testing is performed by Envigo using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Envigo + Phone:+44 (0)1530 225157 + Fax:+44 (0)1530 222807 + [rmstechnicalservices.eu@envigo.com](mailto:rmstechnicalservices.eu@envigo.com) + [envigo.com](http://envigo.com)